

# 2003 Health and Preventive Practices Status Report

## from Missouri County-level Study



# Livingston County\*\*

	County Prevalence (%)*	Northeast Region Prevalence (%)*	State Prevalence (%)*
<b>G</b> eneral			
Health Status (Fair or Poor)	20.3	20.7	16.9
No Health Coverage	14.7	14.5	12.8
<b>B</b> ehavioral Risk Factors			
Physical Inactivity	21.0	24.3	24.0
Current Smoker	35.3	26.4	26.4
Overweight (BMI 25-29.9)	32.8	34.9	35.3
Obese (BMI ≥ 30)	27.4	25.7	23.4
<b>D</b> isease and Conditions			
High Blood Pressure	35.4	28.4	28.9
High Cholesterol (35 years or older)	39.6	37.9	37.1
Asthma	12.3	9.5	10.8
Diabetes	3.1 L	6.3	7.2
Activity Limitation	17.5	16.9	17.9
<b>C</b> ancer Screening			
<b>Women</b>			
Never had a Mammogram	17.5	17.4	13.4
No Mammogram or Clinical Breast Exam in Last Year:			
40-49 years of age	46.8	59.8	49.4
50-64 years of age	47.3	44.1	35.9
65 and older	62.1	57.5	47.4
Never had a Pap Test:			
18-69 years of age	2.7	5.6	5.1
70 and older	5.9	12.6 H	6.4
No Pap Test in Last Year (18-29)	14.1	23.8	25.8
No Pap Test in Last 3 Years (30-69)	9.9	19.0	13.8
<b>Men and Women 50 Years or Older</b>			
Blood Stool Test:			
Never had a Blood Stool Test	66.4	64.5	57.0
No Blood Stool Test in Last Year	86.8 H	84.9 H	77.5
Sigmoidoscopy/Colonoscopy			
Never had a Sigmoidoscopy or Colonoscopy	56.2	60.8 H	49.2
No Sigmoidoscopy or Colonoscopy in Past Five Years	65.9	68.5 H	57.0

\*Prevalence rates are age adjusted to the 2000 U.S. standard population

■ indicates that the prevalence rate is not significantly above or below state prevalence

H indicates that the prevalence rate is significantly above the state prevalence

L indicates that the prevalence rate is significantly below the state prevalence

Unless otherwise noted respondents are 18 years of age or older

\*\* The best indicators for Livingston county were obtained by combining data from Livingston and Linn counties.